

HULK LED 150W IP65 5000K

HIGH-BAY AND LOW-BAY

LED GO!



220-240 V | LED |  IP65 |  IK08 |  CE

TECHNICAL PARAMETERS

Index:	374128
Ingress protection:	IP65
Rated power [W]:	150
Luminous flux [lm]*:	18500
Colour temperature [K]:	5000
Colour rendering index:	>80
Electrical protection class:	II
Energy efficiency class:	A+
Material of the body:	aluminium
Diffuser type:	MAT

*Tolerance +/- 10%


CHARACTERISTICS

HIGH-BAY type LED fitting, in which high-power LED modules with an opal diffuser were used. Made of powder coated aluminum, in RAL9006 colour. As a standard, it is equipped with power supply with a DIMM 1-10V dimmer. Distribution angle: 120°. Colour temperature 5000K, CRI>80, lifespan of LED 50 000h (L70B50) ta= 25 °C.

APPLICATION

The fitting is designed for suspended installation, both for outside and internal use. Perfect for manufacturing plants and halls, as well as large-format warehouses.

LIGHT CURVES



HULK LED 150W IP65 5000K

HIGH-BAY AND LOW-BAY

LED GO!

TECHNICAL PARAMETERS TABLE

Light source:	LED	Colour of the body:	grey
Rated power [W]:	150	Dimensions [mm]:	355/355/327
Supply voltage [V]:	220 - 240	Impact resistance:	IK08
Frequency [Hz]:	50 - 60	Ingress protection:	IP65
Luminous flux [lm]:	18500	Mounting version:	suspended
Luminous efficacy [lm per W]:	125	Working temperature [°C]:	od -30 do +35
Energy efficiency class:	A+	Net weight of the luminaire [kg]:	3
Electrical protection class:	II	CE certificate:	15/2017
Colour temperature [K]:	5000	Index:	374128
Colour rendering index:	>80	EAN:	5905963374128
LED lifespan [h]:	50000	Category type:	high-bay and low-bay
Diffuser material:	PC	Mark D:	tak / yes
Diffuser type:	MAT	Lamp power factor:	0,97
Material of the body:	aluminium		

*Tolerance+/- 10%

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer.

Revision date: 2018-02-23



Lena Lighting S.A.
ul. Kórnicka 52
63-000 Środa Wielkopolska

tel. +48 61 28 60 300
e-mail: office@lenalighting.pl
www.lenalighting.pl



The luminaire complies with the EU RoHS Directive 2011/65/UE



This product is a subject to electric and electronic waste equipment regulations (WEEE).



15/2017