

PRODUCT-DETAILS

# NC28/50M

## STND WEIGHT NYL COND NC28 50M BLK



### General Information

Extended Product Type	NC28/50M
Product ID	7TCA298000R0263
EAN	5020963023071
Catalog Description	STND WEIGHT NYL COND NC28 50M BLK
Long Description	Standard Weight, General Purpose Conduit, NC Size 28/NW Size 23, Outside Diameter 28.5mm, Inside Diameter 22.6mm, Static Bend Radius 45mm, High Flexibility and Fatigue Life, IP40 Rating, Polyamide 6, Reel Length 50 Meters, Black

### Ordering

EAN	5020963023071
Customs Tariff Number	3926909990

### Dimensions

Product Net Weight	10.85 lb
	4.921 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	24.5 in
	622 mm

Package Level 1 Height	50 in 1270 mm
Package Level 1 Depth / Length	24.5 in 622 mm
Package Level 2 Units	14 piece
Package Level 2 Width	40 in 1016 mm
Package Level 2 Height	50 in 1270 mm
Package Level 2 Depth / Length	48 in 1219 mm
Package Level 3 Units	14 piece
Package Level 3 Width	40 in 1016 mm
Package Level 3 Height	50 in 1270 mm
Package Level 3 Depth / Length	48 in 1219 mm

## Additional Information

Application	Extensively Used in Harnesses on HGV and off Road Vehicles Applications Where Superior Protection Against Impact and Mechanical Shock is Preferred. The Conduit is Used for Both Chassis and Engine Applications and Can Be Used in a Wide Range of Temperatures
Brand / Label	Harnessflex
Color	Black
Flexibility	Very High
Inside Diameter	22.6 mm
Material	Polyamide/Nylon 6
Nominal Size	NC28/NW23
Number of Batteries	0
Outside Diameter	28.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Standard Weight Conduit
Radius	Static: 45 mm
Standards	ADR Approved, RoHS, Conforms with End of Life Vehicle Directive (ELV) EU200/53/EC
UPC	786210146935

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	NC28/50M
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	NC28/50M

## Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5540 >> Flexible Non-Metallic Conduit

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

