

PRODUCT-DETAILS

CTPA32-S/50M

L/WEIGHT NYL COND SLIT 50M BLK



Product image
not available

General Information

| | |
|-----------------------|---|
| Extended Product Type | CTPA32-S/50M |
| Product ID | 7TCA298000R0121 |
| EAN | 5020963022678 |
| Catalog Description | L/WEIGHT NYL COND SLIT 50M BLK |
| Long Description | Lightweight Weight, Extra Flexible Slit Conduit, NC Size 32/NW Size 29, Outside Diameter 34.5mm, Inside Diameter 28.8mm, Static Bend Radius 55mm, High Fatigue Life and Abrasion, Impact Resistance, IP40 Rating, Polyamide 6, Reel Length 50 Meters, Black |

Ordering

| | |
|-----------------------|---------------|
| EAN | 5020963022678 |
| Customs Tariff Number | 3926909990 |

Dimensions

| | |
|--------------------|---------------------|
| Product Net Weight | 9.37 lb 4.249 kg |
|--------------------|---------------------|

Container Information

| | |
|-----------------------|-------------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 24.5 in 622 mm |

| | |
|--------------------------------|-------------------|
| Package Level 1 Height | 50 in 1270 mm |
| Package Level 1 Depth / Length | 24.5 in 622 mm |
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 40 in 1016 mm |
| Package Level 2 Height | 50 in 1270 mm |
| Package Level 2 Depth / Length | 48 in 1219 mm |
| Package Level 3 Units | 1 piece |
| Package Level 3 Width | 40 in 1016 mm |
| Package Level 3 Height | 50 in 1270 mm |
| Package Level 3 Depth / Length | 48 in 1219 mm |

Additional Information

| | |
|---------------------|--|
| Application | General Purpose, Lightweight Loom Applications |
| Brand / Label | Harnessflex |
| Color | Black |
| Flexibility | High |
| Inside Diameter | 28.8 mm |
| Material | Polyamide/Nylon 6 |
| Nominal Size | NC32/NW29 |
| Number of Batteries | 0 |
| Outside Diameter | 34.5 mm |
| Product Name | nylon conduit |
| Product Type | Slit Lightweight Conduit |
| Radius | Static: 55 mm |
| Special Functions | Self Extinguishing, Low Smoke Toxicity & Halogen Free |
| Standards | RoHS, Conforms with End of Life Vehicle Directive (ELV)EU200/53/EC |
| UPC | 786210286433 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | CTPA32-S/50M |
| Declaration of Conformity - CE | 9AKK107492A9616 |
| Instructions and Manuals | CTPA32-S/50M |

Classifications

| | |
|------------------------------------|---------------------------------------|
| ETIM 6 | EC001175 - Corrugated plastic hose |
| ETIM 7 | EC001175 - Corrugated plastic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5540 >> Flexible Non-Metallic Conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available