

PRODUCT-DETAILS

CTPA20-S/100M

L/WEIGHT NYL CONDSLIT NC20 100M BL



Product image
not available

General Information

Extended Product Type	CTPA20-S/100M
Product ID	7TCA298000R0077
EAN	5020963022517
Catalog Description	L/WEIGHT NYL CONDSLIT NC20 100M BL
Long Description	Lightweight Weight, Extra Flexible Slit Conduit, NC Size 20/NW Size 17, Outside Diameter 21.2mm, Inside Diameter 16.9mm, Static Bend Radius 45mm, High Fatigue Life and Abrasion, Impact Resistance, IP40 Rating, Polyamide 6, Reel Length 100 Meters, Black

Ordering

EAN	5020963022517
Customs Tariff Number	3926909990

Dimensions

Product Net Weight	10.34 lb 4.689 kg
--------------------	----------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	14 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Application	General Purpose, Lightweight Loom Applications
Brand / Label	Harnessflex
Color	Black
Flexibility	High
Inside Diameter	16.9 mm
Material	Polyamide/Nylon 6
Nominal Size	NC20/NW17
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	nylon conduit
Product Type	Slit Lightweight Conduit
Radius	Static: 45 mm
Special Functions	Self Extinguishing, Low Smoke Toxicity & Halogen Free
Standards	RoHS, Conforms with End of Life Vehicle Directive (ELV)EU200/53/EC
UPC	786210147956

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CTPA20-S/100M
Declaration of Conformity - CE	9AKK107492A9616
Instructions and Manuals	CTPA20-S/100M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5540 >> Flexible Non-Metallic Conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available